

INSTITUTIONAL BIOSAFETY COMMITTEE REVIEW

MEETING MINUTES

Meeting Date: Tuesday, June 17, 2025
Time: 11:00 am Pacific Time
Location: Zoom Teleconference
Institution: Southern California Permanente Medical Group, Riverside, CA
Principal Investigator: Vivienne S. Hau, MD, PhD
Protocol: AbbVie, Inc., RGX-314-3101
NCT Number: NCT05407636
Meeting Type: Continuing Review of Protocol and Site
Title: A Randomized, Partially Masked, Controlled, Phase 3 Clinical Study to Evaluate the Efficacy and Safety of RGX-314 Gene Therapy in Participants with nAMD

1. Call to order:

The Meeting was called to order at 11:01 am Pacific Time.

2. Introductions and orientation:

Introductions were made and the Chair oriented members to the meeting procedures.

3. Declaration of quorum:

Four voting members were present, including one local member unaffiliated with the institution. Also present was one Institutional Representative and IBC Services staff. The Chair declared that a quorum was present.

4. Conflict of Interest:

The Chair requested that voting members report any conflict of interest regarding this meeting. No conflicts of interest were reported.

5. Public posting:

The Institutional Representative confirmed that notice of the meeting was publicly posted. No public comments were received by the site or the Committee regarding this review.

6. Approval of previous meeting minutes:

Minutes Approved - YES: 4 NO: 0 ABSTAIN: 0

7. Review of proposed research:

The Chair provided an overview of the protocol and status of the study.

The Chair provided an overview of changes since the last review.

8. Determination for biosafety level and period of IBC oversight:

The Committee previously determined that **BSL-1 containment facilities and practices plus Standard Precautions** are required for RGX-314, since it consists of an AAV vector administered by injection in a clinical setting. The Committee reaffirmed this determination.

The Committee previously determined that IBC oversight will continue for **3 months after the last subject's last dose of RGX-314 locally**, provided that other biosafety criteria for study closure are also met. The Committee reaffirmed this determination.

9. Vote on the Protocol:

The Committee voted for the following determination on the Protocol:

X	APPROVED
	CONDITIONALLY APPROVED
	TABLED
	DISAPPROVED

DETERMINATION VOTE - YES: 4

NO: 0

ABSTAIN: 0

INSTITUTIONAL BIOSAFETY COMMITTEE REVIEW

10. Review of proposed facilities and practices:

The Chair provided an overview of the arrangement for the facilities and practices.

Points of Discussion:

1. The Institutional Representative confirmed that only one [REDACTED] is used for this study. The Committee recommended that Biosafety SOP Section 3 be revised to change "[REDACTED]" to "[REDACTED]".
2. The Institutional Representative confirmed that an emergency eyewash sign is posted near the plumbed eyewash station in the [REDACTED]. The Committee recommended that an updated photo showing the posted sign be provided to IBC Services.
3. The Institutional Representative confirmed that the blue biohazardous waste containers in the [REDACTED] are used for disposal of sharps and personal protective equipment (PPE).
4. The Institutional Representative confirmed that the plumbed eyewash station in the [REDACTED] undergoes annual maintenance and is flushed on a weekly basis.
5. The Institutional Representative confirmed that the door shown on Slide 2 in the Photos document is the entrance to the [REDACTED].
6. The Institutional Representative confirmed that the [REDACTED] serves as the primary study agent storage area and that both a freezer and refrigerator are available in this area. The Institutional Representative confirmed that the [REDACTED] is used as a back-up storage area.
7. The Institutional Representative confirmed that biohazardous waste is stored in the [REDACTED] and [REDACTED] and that the [REDACTED] is not used as office space.
8. The Committee discussed that the plumbed eyewash station in the [REDACTED] does flush both eyes when activated.

11. Site requirements:

The Chair reviewed training and communication requirements for maintaining IBC approval with the Institutional Representative.

12. Vote on the Site:

The Committee voted for the following determination on the Site:

X	APPROVED
	CONDITIONALLY APPROVED
	TABLED
	DISAPPROVED

DETERMINATION VOTE - YES: 4

NO: 0

ABSTAIN: 0

13. Advice to the Institution: None.

14. Meeting adjourned: The meeting was adjourned at 11:18 am Pacific Time.